













HANDCRAFTED
IN THE **USA**



ACRYLIC

COLOR PALETTE

 Hansa Yellow (107) LF I  PY 3	 Cadmium Yellow Light (070) LF I  PY 35	 Azo Yellow (018) LF I  PY 151 & PY 74	 Cadmium Yellow (060) LF I  PY 35	 Cadmium Yellow Deep (063) LF I  PY 35 & PO 20	 Indian Yellow (109) LF I  PY 110
 Cadmium Orange (038) LF I  PO 20	 Cadmium Red Light (050) LF I  PR 108	 Naphthol Red (120) LF II  PR 112	 Quinacridone Red (155) LF I  PR 209	 Pyrrol Red (154) LF I  PR 254	 Cadmium Red (040) LF I  PR 108
 Cadmium Red Deep (045) LF I  PR 108	 Quinacridone Rose (156) LF I  PV 19	 Anthraquinone Red (014) LF I  PR 177	 Alizarin Crimson (010) LF III  PR 176 & PR 101	 Quinacridone Violet (158) LF I  PV 19	 Dioxazine Purple (100) LF II  PV 23
 Ultramarine Violet (193) LF I  PV 15	 Anthraquinone Blue (012) LF I  PB 60	 Ultramarine Blue (190) LF I  PB 29	 Cobalt Blue (090) LF I  PB 28	 Cerulean Blue (080) LF I  PB 36	 Manganese Blue Hue (114) LF I  PB 15:3 & PW 6
 Phthalocyanine Blue (140) LF I  PB 15:3	 Prussian Blue Hue (153) LF I  PB 15:3, PBk 6 & PV 23	 Turquoise (189) LF I  PB 15:3 & PG 7	 Phthalocyanine Green (150) LF I  PG 7	 Viridian Hue (195) LF I  PG 7, PBr 7* & PY 42	 Permanent Green Light (130) LF I  PG 7 & PY 151
 Hookers Green (108) LF I  PG 7, PBk 6, PY 74, PY 151 & PO 62	 Sap Green (Permanent) (174) LF I  PY 129, PG 7, PBk 9 & PY 110	 Olive Green (125) LF I  PY 129, PBk 9 & PY 110	 Azo Green (016) LF I  PY 129	 Naples Yellow (121) LF I  PBr 7*, PY 74, PW 6 & PO 62	 Yellow Ochre (200) LF I  PY 42
 Raw Sienna (160) LF I  PBr 7	 Transparent Yellow Iron Oxide (188) LF I  PY 42	 Transparent Orange Iron Oxide (186) LF I  PY 42 & PR 101	 Transparent Red Iron Oxide (187) LF I  PR 101	 Burnt Sienna (020) LF I  PBr 7*	 Terra Rosa (179) LF I  PR 101
 Burnt Umber (030) LF I  PBr 7*	 Raw Umber (170) LF I  PBr 7	 Ivory Black (110) LF I  PBk 9	 Mars Black (115) LF I  PBk 11	 Lamp Black (112) LF I  PBk 6	 Payne's Gray (128) LF I  PBk 9 & PB 29
 Titanium White (180) LF I  PW 6		 Zinc White (205) LF I  PW 4			

LEGEND

Color Code	Opacity Rating	Pigment Listing & Composition							
(#) Color Designation	 Transparent	PB 15:3	Copper Phthalocyanine	PBk 11	Synthetic Iron Oxide	PR 108	Pure Cadmium Seleno-Sulfide	PW 4	Zinc Oxide
	 Semi Transparent	PB 28	Oxides of Cobalt and Aluminum	PBr 7*	Calcined Natural Iron Oxide	PR 112	Naphthol AS-D	PW 6	Titanium Dioxide
Lightfast Rating	 Semi Opaque	PB 29	Silicate of Sodium and Aluminum with Sulfur	PBr 7	Natural Iron Oxide	PR 176	Benzimidazolone Red	PY 3	Arylide
LF I Excellent	 Opaque	PB 36	Oxides of Cobalt and Chromium	PG 7	Chlorinated Copper Phthalocyanine	PR 177	Anthraquinone	PY 35	Pure Cadmium Zinc Sulfide
LF II Very Good		PB 60	Anthraquinone	PO 20	Pure Cadmium Seleno-Sulfide	PR 209	Quinacridone	PY 42	Synthetic Iron Oxide
LF III Acceptable (Good in mass tone, tints may fade)		PBk 6	Nearly Pure Amorphous Carbon	PO 62	Benzimidazolone Orange	PR 254	Diketo Pyrrolopyrrol	PY 74	Arylide
		PBk 9	Amorphous Carbon	PR 101	Synthetic Iron Oxide	PV 19	Quinacridone	PY 110	Isoindolinone
						PV 23	Carbazole Dioxazine	PY 129	Azomethine Copper Complex
								PY 151	Benzimidazolone